

Neonate 3.5kg	mg/kg	Mg	mL	Adm	Max
Resp	24-40				
Pulse	90-150				
S/BP	75-120		Age x2+80		
Weight	3.5Kg		Age x2+8		
Pedi Pads	1 - 8				
Energy	7J		2J/ kg		x1
Energy 2nd+Consec	14J		4J/ kg		x5
Tube	4		Age/4+4		
Neonate 3.5kg	mg/kg	Mg	mL	Adm	Max
Fluid Hartmann's	20ml/		70	IV,IO	prn
Sodium Chloride 0.9%	20ml/		70	IV,IO	x1
A.Epi 10,000 1mg/10ml	0.01/	0.035	0.35	IV,IO	prn
Amiodarone 30mg/ml	5/	17.5	0.583	IV,IO	x1
G. Dextrose 10%	5ml/		17.5	IV,IO	x2
Glucagon 1mg/1ml	≤8yr	0.5	0.5	IM	x1
Glucose Gel 24g	≤8yr	5-10g		BU	prn
Epi 1:1,000 1mg/1ml	6m-5y	0.125	0.125	IM	prn
Hydrocort 100mg/2ml	< 1 yr	25	0.5	IV,IM	x1
Neonate 3.5kg	mg/kg	Mg	mL	Adm	Max
Salbutamol 2.5mg	<5yr	2.5	2.5	INH	x3
Ipratropium 0.25mg/ml	≤13yr	0.25	1	INH	x1
Diazepam 10mg/2ml	0.1/	0.35	0.07	IV,IO	x4
Diazepam 2.5,5,10mg	<3yr	2.5	1.25	PR	x2
Midazolam 10mg/2ml	0.2/	0.7	0.14	IN	x2
Midazolam 10mg/1ml	0.5/	1.75	0.175	BU	x2
Morphine+9ml=1mg/ml	0.05/	0.175	0.175	IV,IO	x3
Morphine Suspension	0.1/	0.35	0.175	PO	x3
Naloxone 0.4/ml IO,SC	0.01/	0.035	0.088	IV,IM	x10
Neonate 3.5kg	mg/kg	Mg	mL	Adm	Max
Cyclizine 50mg/ml+9ml	0.7/	2.45	0.49	IV,IO	x1
Cyclizine 50mg/ml	0.7/	2.45	0.049	IM	x1
Ondansetron 4mg/2ml	0.1/	0.35	0.5	IV	x4
Ibuprofen 100mg/5ml	5/	17.5	0.875	PO	x1
Paracetamol 120/5ml	20/	70	8.333	PO	x1
Paracetamol 60/180mg	1-3yr	180		PR	x1
Benzylpen 600mg/4ml	1-8yr	600	4	IV,IO	x1
Benzylpen 600mg/2ml	1-8yr	600	2	IM	x1

**3.5kg**  
Neonate

6 month - 7.5kg		mg/kg	Mg	mL	Adm	Max	
Resp		24-40					
Pulse		90-150					
S/BP		75-120		Age x2+80			
<b>6 Mth</b>	Weight	7.5Kg		Age x2+8			
	Pedi Pads	1 - 8					
	Energy	15J		2J/ kg		x1	
	Energy 2nd+Consec	30J		4J/ kg		x5	
	Tube	4		Age/4+4			
	6 month - 7.5kg		mg/kg	Mg	mL	Adm	Max
	Fluid Hartmann's		20ml/		150	IV,IO	prn
	Sodium Chloride 0.9%		20ml/		150	IV,IO	x1
	A.Epi 10,000 1mg/10ml		0.01/	0.075	0.75	IV,IO	prn
Amiodarone 30mg/ml		5/	37.5	1.25	IV,IO	x1	
G. Dextrose 10%		5ml/		37.5	IV,IO	x2	
Glucagon 1mg/1ml		≤8yr	0.5	0.5	IM	x1	
Glucose Gel 24g		≤8yr	5-10g		BU	prn	
Epi 1:1,000 1mg/1ml		6m-5y	0.125	0.125	IM	prn	
Hydrocort 100mg/2ml		< 1 yr	25	0.5	IV,IM	x1	
6 month - 7.5kg		mg/kg	Mg	mL	Adm	Max	
Salbutamol 2.5mg		<5yr	2.5	2.5	INH	x3	
Ipratropium 0.25mg/ml		≤13yr	0.25	1	INH	x1	
Diazepam 10mg/2ml		0.1/	0.75	0.15	IV,IO	x4	
Diazepam 2.5,5,10mg		<3yr	2.5	1.25	PR	x2	
Midazolam 10mg/2ml		0.2/	1.5	0.3	IN	x2	
Midazolam 10mg/1ml		0.5/	3.75	0.375	BU	x2	
Morphine+9ml=1mg/ml		0.05/	0.375	0.375	IV,IO	x3	
Morphine Suspension		0.1/	0.75	0.375	PO	x3	
Naloxone 0.4/ml IO,SC		0.01/	0.075	0.188	IV,IM	x10	
6 month - 7.5kg		mg/kg	Mg	mL	Adm	Max	
Cyclizine 50mg/ml+9ml		0.7/	5.25	1.05	IV,IO	x1	
Cyclizine 50mg/ml		0.7/	5.25	0.105	IM	x1	
Ondansetron 4mg/2ml		0.1/	0.75	0.5	IV	x4	
Ibuprofen 100mg/5ml		5/	37.5	1.875	PO	x1	
Paracetamol 120/5ml		20/	150	8.333	PO	x1	
Paracetamol 60/180mg		1-3yr	180		PR	x1	
Benzylpen 600mg/4ml		1-8yr	600	4	IV,IO	x1	
Benzylpen 600mg/2ml		1-8yr	600	2	IM	x1	

1 year - 10 kg	mg/k	Mg	mL	Adm	Max
Resp	24-40				
Pulse	90-150				
S/BP	75-120		Age x2+80		
Weight	10Kg		Age x2+8		
Pedi Pads	1 - 8				
Energy	20J		2J/ kg		x1
Energy 2nd+Consec	40J		4J/ kg		x5
Tube	4.25		Age/4+4		
1 year - 10 kg	mg/k	Mg	mL	Adm	Max
Fluid Hartmann's	20ml/		200	IV,IO	prn
Sodium Chloride 0.9%	20ml/		200	IV,IO	x1
A.Epi 10,000 1mg/10ml	0.01/	0.1	1	IV,IO	prn
Amiodarone 30mg/ml	5/	50	1.667	IV,IO	x1
G. Dextrose 10%	5ml/		50	IV,IO	x2
Glucagon 1mg/1ml	≤8yr	0.5	0.5	IM	x1
Glucose Gel 24g	≤8yr	5-10g		BU	prn
Epi 1:1,000 1mg/1ml	6m-5y	0.125	0.125	IM	prn
Hydrocort 100mg/2ml	1-5yr	50	1	IV,IM	x1
1 year - 10 kg	mg/k	Mg	mL	Adm	Max
Salbutamol 2.5mg	<5yr	2.5	2.5	INH	x3
Ipratropium 0.25mg/ml	≤13yr	0.25	1	INH	x1
Diazepam 10mg/2ml	0.1/	1	0.2	IV,IO	x4
Diazepam 2.5,5,10mg	<3yr	2.5	1.25	PR	x2
Midazolam 10mg/2ml	0.2/	2	0.4	IN	x2
Midazolam 10mg/1ml	0.5/	5	0.5	BU	x2
Morphine+9ml=1mg/ml	0.05/	0.5	0.5	IV,IO	x3
Morphine Suspension	0.1/	1	0.5	PO	x3
Naloxone 0.4/ml IO,SC	0.01/	0.1	0.25	IV,IM	x10
1 year - 10 kg	mg/k	Mg	mL	Adm	Max
Cyclizine 50mg/ml+9ml	0.7/	7	1.4	IV,IO	x1
Cyclizine 50mg/ml	0.7/	7	0.14	IM	x1
Ondansetron 4mg/2ml	0.1/	1	0.5	IV	x4
Ibuprofen 100mg/5ml	5/	50	2.5	PO	x1
Paracetamol 120/5ml	20/	200	8.333	PO	x1
Paracetamol 60/180mg	1-3yr	180		PR	x1
Benzylopen 600mg/4ml	1-8yr	600	4	IV,IO	x1
Benzylopen 600mg/2ml	1-8yr	600	2	IM	x1

**1  
yo**

2 year - 12 kg		mg/k	Mg	mL	Adm	Max
Resp		24-40				
Pulse		90-150				
S/BP		75-120		Age x2+80		
Weight		12Kg		Age x2+8		
Pedi Pads		1 - 8				
Energy		24J		2J/ kg		x1
Energy 2nd+Consec		48J		4J/ kg		x5
2 yo	Tube	4.5		Age/4+4		
	2 year - 12 kg		mg/k	Mg	mL	Adm
Fluid Hartmann's		20ml/		240	IV,IO	prn
Sodium Chloride 0.9%		20ml/		240	IV,IO	x1
A.Epi 10,000 1mg/10ml		0.01/	0.12	1.2	IV,IO	prn
Amiodarone 30mg/ml		5/	60	2	IV,IO	x1
G. Dextrose 10%		5ml/		60	IV,IO	x2
Glucagon 1mg/1ml		≤8yr	0.5	0.5	IM	x1
Glucose Gel 24g		≤8yr	5-10g		BU	prn
Epi 1:1,000 1mg/1ml		6m-5y	0.125	0.125	IM	prn
Hydrocort 100mg/2ml		1-5yr	50	1	IV,IM	x1
2 year - 12 kg		mg/k	Mg	mL	Adm	Max
Salbutamol 2.5mg		<5yr	2.5	2.5	INH	x3
Ipratropium 0.25mg/ml		≤13yr	0.25	1	INH	x1
Diazepam 10mg/2ml		0.1/	1.2	0.24	IV,IO	x4
Diazepam 2.5,5,10mg		<3yr	2.5	1.25	PR	x2
Midazolam 10mg/2ml		0.2/	2.4	0.48	IN	x2
Midazolam 10mg/1ml		0.5/	6	0.6	BU	x2
Morphine+9ml=1mg/ml		0.05/	0.6	0.6	IV,IO	x3
Morphine Suspension		0.1/	1.2	0.6	PO	x3
Naloxone 0.4/ml IO,SC		0.01/	0.12	0.3	IV,IM	x10
2 year - 12 kg		mg/k	Mg	mL	Adm	Max
Cyclizine 50mg/ml+9ml		0.7/	8.4	1.68	IV,IO	x1
Cyclizine 50mg/ml		0.7/	8.4	0.168	IM	x1
Ondansetron 4mg/2ml		0.1/	1.2	0.5	IV	x4
Ibuprofen 100mg/5ml		5/	60	3	PO	x1
Paracetamol 120/5ml		20/	240	8.333	PO	x1
Paracetamol 60/180mg		1-3yr	180		PR	x1
Benzylpen 600mg/4ml		1-8yr	600	4	IV,IO	x1
Benzylpen 600mg/2ml		1-8yr	600	2	IM	x1

<b>3 year - 14 kg</b>	<b>mg/k</b>	<b>Mg</b>	<b>mL</b>	<b>Adm</b>	<b>Max</b>
Resp	24-40				
Pulse	90-150				
S/BP	75-120		Age x2+80		
Weight	14Kg		Age x2+8		
<b>Pedi Pads</b>	<b>1 - 8</b>				
Energy	28J		2J/ kg		x1
Energy 2nd+Consec	56J		4J/ kg		x5
Tube	4.75		Age/4+4		

<b>3 year - 14 kg</b>	<b>mg/k</b>	<b>Mg</b>	<b>mL</b>	<b>Adm</b>	<b>Max</b>
Fluid Hartmann's	20ml/		280	IV,IO	prn
Sodium Chloride 0.9%	20ml/		280	IV,IO	x1
A.Epi 10,000 1mg/10ml	0.01/	0.14	1.4	IV,IO	prn
Amiodarone 30mg/ml	5/	70	2.333	IV,IO	x1
G. Dextrose 10%	5ml/		70	IV,IO	x2
Glucagon 1mg/1ml	≤8yr	0.5	0.5	IM	x1
Glucose Gel 24g	≤8yr	5-10g		BU	prn
Epi 1:1,000 1mg/1ml	6m-5y	0.125	0.125	IM	prn
Hydrocort 100mg/2ml	1-5yr	50	1	IV,IM	x1
<b>3 year - 14 kg</b>	<b>mg/k</b>	<b>Mg</b>	<b>mL</b>	<b>Adm</b>	<b>Max</b>
Salbutamol 2.5mg	<5yr	2.5	2.5	INH	x3
Ipratropium 0.25mg/ml	≤13yr	0.25	1	INH	x1
Diazepam 10mg/2ml	0.1/	1.4	0.28	IV,IO	x4
Diazepam 2.5,5,10mg	<3yr	2.5	1.25	PR	x2
Midazolam 10mg/2ml	0.2/	2.8	0.56	IN	x2
Midazolam 10mg/1ml	0.5/	7	0.7	BU	x2
Morphine+9ml=1mg/ml	0.05/	0.7	0.7	IV,IO	x3
Morphine Suspension	0.1/	1.4	0.7	PO	x3
Naloxone 0.4/ml IO,SC	0.01/	0.14	0.35	IV,IM	x10
<b>3 year - 14 kg</b>	<b>mg/k</b>	<b>Mg</b>	<b>mL</b>	<b>Adm</b>	<b>Max</b>
Cyclizine 50mg/ml+9ml	0.7/	9.8	1.96	IV,IO	x1
Cyclizine 50mg/ml	0.7/	9.8	0.196	IM	x1
Ondansetron 4mg/2ml	0.1/	1.4	0.5	IV	x4
Ibuprofen 100mg/5ml	5/	70	3.5	PO	x1
Paracetamol 120/5ml	20/	280	8.333	PO	x1
Paracetamol 60/180mg	1-3yr	180		PR	x1
Benzylpen 600mg/4ml	1-8yr	600	4	IV,IO	x1
Benzylpen 600mg/2ml	1-8yr	600	2	IM	x1

**3  
yo**

4 year - 16 kg		mg/k	Mg	mL	Adm	Max	
Resp		24-40					
Pulse		90-150					
S/BP		75-120		Age x2+80			
Weight		16Kg		Age x2+8			
Pedi Pads		1 - 8					
Energy		32J		2J/ kg		x1	
Energy 2nd+Consec		64J		4J/ kg		x5	
Tube		5		Age/4+4			
4 year - 16 kg		mg/k	Mg	mL	Adm	Max	
Fluid Hartmann's		20ml/		320	IV,IO	prn	
Sodium Chloride 0.9%		20ml/		320	IV,IO	x1	
4 yo	A.Epi 10,000 1mg/10ml	0.01/	0.16	1.6	IV,IO	prn	
	Amiodarone 30mg/ml	5/	80	2.667	IV,IO	x1	
	G. Dextrose 10%	5ml/		80	IV,IO	x2	
	Glucagon 1mg/1ml	≤8yr	0.5	0.5	IM	x1	
	Glucose Gel 24g	≤8yr	5-10g		BU	prn	
	Epi 1:1,000 1mg/1ml	6m-5y	0.125	0.125	IM	prn	
	Hydrocort 100mg/2ml	1-5yr	50	1	IV,IM	x1	
	4 year - 16 kg		mg/k	Mg	mL	Adm	Max
	Salbutamol 2.5mg		<5yr	2.5	2.5	INH	x3
	Ipratropium 0.25mg/ml		≤13yr	0.25	1	INH	x1
Diazepam 10mg/2ml		0.1/	1.6	0.32	IV,IO	x4	
Diazepam 2.5,5,10mg		3-7yrs	5	2.5	PR	x2	
Midazolam 10mg/2ml		0.2/	3.2	0.64	IN	x2	
Midazolam 10mg/1ml		0.5/	8	0.8	BU	x2	
Morphine+9ml=1mg/ml		0.05/	0.8	0.8	IV,IO	x3	
Morphine Suspension		0.1/	1.6	0.8	PO	x3	
Naloxone 0.4/ml IO,SC		0.01/	0.16	0.4	IV,IM	x10	
4 year - 16 kg		mg/k	Mg	mL	Adm	Max	
Cyclizine 50mg/ml+9ml		0.7/	11.2	2.24	IV,IO	x1	
Cyclizine 50mg/ml		0.7/	11.2	0.224	IM	x1	
Ondansetron 4mg/2ml		0.1/	1.6	0.5	IV	x4	
Ibuprofen 100mg/5ml		5/	80	4	PO	x1	
Paracetamol 120/5ml		20/	320	8.333	PO	x1	
Paracetamol 60/180mg		1-3yr	180		PR	x1	
Benzylpen 600mg/4ml		1-8yr	600	4	IV,IO	x1	
Benzylpen 600mg/2ml		1-8yr	600	2	IM	x1	

5 year - 18 kg	mg/k	Mg	mL	Adm	Max
Resp	24-40				
Pulse	90-150				
S/BP	75-120		Age x2+80		
Weight	18Kg		Age x2+8		
Pedi Pads	1 - 8				
Energy	36J		2J/ kg		x1
Energy 2nd+Consec	72J		4J/ kg		x5
Tube	5.25		Age/4+4		
5 year - 18 kg	mg/k	Mg	mL	Adm	Max
Fluid Hartmann's	20ml/		360	IV,IO	prn
Sodium Chloride 0.9%	20ml/		360	IV,IO	x1
A.Epi 10,000 1mg/10ml	0.01/	0.18	1.8	IV,IO	prn
Amiodarone 30mg/ml	5/	90	3	IV,IO	x1
G. Dextrose 10%	5ml/		90	IV,IO	x2
Glucagon 1mg/1ml	≤8yr	0.5	0.5	IM	x1
Glucose Gel 24g	≤8yr	5-10g		BU	prn
Epi 1:1,000 1mg/1ml	6m-5y	0.125	0.125	IM	prn
Hydrocort 100mg/2ml	1-5yr	50	1	IV,IM	x1
5 year - 18 kg	mg/k	Mg	mL	Adm	Max
Salbutamol 2.5mg	≥5yrs	2.5	2.5	INH	x3
Ipratropium 0.25mg/ml	≤13yr	0.25	1	INH	x1
Diazepam 10mg/2ml	0.1/	1.8	0.36	IV,IO	x4
Diazepam 2.5,5,10mg	3-7yrs	5	2.5	PR	x2
Midazolam 10mg/2ml	0.2/	3.6	0.72	IN	x2
Midazolam 10mg/1ml	0.5/	9	0.9	BU	x2
Morphine+9ml=1mg/ml	0.05/	0.9	0.9	IV,IO	x3
Morphine Suspension	0.1/	1.8	0.9	PO	x3
Naloxone 0.4/ml IO,SC	0.01/	0.18	0.45	IV,IM	x10
5 year - 18 kg	mg/k	Mg	mL	Adm	Max
Cyclizine 50mg/ml+9ml	0.7/	12.6	2.52	IV,IO	x1
Cyclizine 50mg/ml	0.7/	12.6	0.252	IM	x1
Ondansetron 4mg/2ml	0.1/	1.8	0.5	IV	x4
Ibuprofen 100mg/5ml	5/	90	4.5	PO	x1
Paracetamol 120/5ml	20/	360	8.333	PO	x1
Paracetamol 60/180mg	4-8yr	360		PR	x1
Benzylpen 600mg/4ml	1-8yr	600	4	IV,IO	x1
Benzylpen 600mg/2ml	1-8yr	600	2	IM	x1

5  
yo

6 year - 20 kg		mg/k	Mg	mL	Adm	Max	
Resp		24-40					
Pulse		90-150					
S/BP		75-120		Age x2+80			
Weight		20Kg		Age x2+8			
Pedi Pads		1 - 8					
Energy		40J		2J/ kg		x1	
Energy 2nd+Consec		80J		4J/ kg		x5	
Tube		5.5		Age/4+4			
6 year - 20 kg		mg/k	Mg	mL	Adm	Max	
Fluid Hartmann's		20ml/		400	IV,IO	prn	
Sodium Chloride 0.9%		20ml/		400	IV,IO	x1	
A.Epi 10,000 1mg/10ml		0.01/	0.2	2	IV,IO	prn	
Amiodarone 30mg/ml		5/	100	3.333	IV,IO	x1	
G. Dextrose 10%		5ml/		100	IV,IO	x2	
Glucagon 1mg/1ml		≤8yr	0.5	0.5	IM	x1	
6 yo	Glucose Gel 24g		≤8yr	5-10g	BU	prn	
	Epi 1:1,000 1mg/1ml		6-8yrs	0.25	0.25	IM	prn
	Hydrocort 100mg/2ml		6-12yrs	100	2	IV,IM	x1
6 year - 20 kg		mg/k	Mg	mL	Adm	Max	
Salbutamol 2.5mg		≥5yrs	5	2.5	INH	x3	
Ipratropium 0.25mg/ml		≤13yr	0.25	1	INH	x1	
Diazepam 10mg/2ml		0.1/	2	0.4	IV,IO	x4	
Diazepam 2.5,5,10mg		3-7yrs	5	2.5	PR	x2	
Midazolam 10mg/2ml		0.2/	4	0.8	IN	x2	
Midazolam 10mg/1ml		0.5/	10	1	BU	x2	
Morphine+9ml=1mg/ml		0.05/	1	1	IV,IO	x3	
Morphine Suspension		0.1/	2	1	PO	x3	
Naloxone 0.4/ml IO,SC		0.01/	0.2	0.5	IV,IM	x10	
6 year - 20 kg		mg/k	Mg	mL	Adm	Max	
Cyclizine 50mg/ml+9ml		0.7/	14	2.8	IV,IO	x1	
Cyclizine 50mg/ml		0.7/	14	0.28	IM	x1	
Ondansetron 4mg/2ml		0.1/	2	0.5	IV	x4	
Ibuprofen 100mg/5ml		5/	100	5	PO	x1	
Paracetamol 120/5ml		20/	400	8.333	PO	x1	
Paracetamol 60/180mg		4-8yrs	360		PR	x1	
Benzylpen 600mg/4ml		1-8yr	600	4	IV,IO	x1	
Benzylpen 600mg/2ml		1-8yr	600	2	IM	x1	

7 year - 22 kg	mg/k	Mg	mL	Adm	Max
Resp	24-40				
Pulse	90-150				
S/BP	75-120		Age x2+80		
Weight	22Kg		Age x2+8		
<b>Pedi Pads</b>	<b>1 - 8</b>				
Energy	44J		2J/ kg		x1
Energy 2nd+Consec	88J		4J/ kg		x5
Tube	5.75		Age/4+4		
7 year - 22 kg	mg/k	Mg	mL	Adm	Max
Fluid Hartmann's	20ml/		440	IV,IO	prn
Sodium Chloride 0.9%	20ml/		440	IV,IO	x1
A.Epi 10,000 1mg/10ml	0.01/	0.22	2.2	IV,IO	prn
Amiodarone 30mg/ml	5/	110	3.667	IV,IO	x1
G. Dextrose 10%	5ml/		110	IV,IO	x2
Glucagon 1mg/1ml	≤8yr	0.5	0.5	IM	x1
Glucose Gel 24g	≤8yr	5-10g		BU	prn
Epi 1:1,000 1mg/1ml	6-8yrs	0.25	0.25	IM	prn
Hydrocort 100mg/2ml	6-12yrs	100	2	IV,IM	x1
7 year - 22 kg	mg/k	Mg	mL	Adm	Max
Salbutamol 2.5mg	≥5yrs	5	2.5	INH	x3
Ipratropium 0.25mg/ml	≤13yr	0.25	1	INH	x1
Diazepam 10mg/2ml	0.1/	2.2	0.44	IV,IO	x4
Diazepam 2.5,5,10mg	3-7yrs	5	2.5	PR	x2
Midazolam 10mg/2ml	0.2/	4.4	0.88	IN	x2
Midazolam 10mg/1ml	0.5/	10	1	BU	x2
Morphine+9ml=1mg/ml	0.05/	1.1	1.1	IV,IO	x3
Morphine Suspension	0.1/	2.2	1.1	PO	x3
Naloxone 0.4/ml IO,SC	0.01/	0.22	0.55	IV,IM	x10
7 year - 22 kg	mg/k	Mg	mL	Adm	Max
Cyclizine 50mg/ml+9ml	0.7/	15.4	3.08	IV,IO	x1
Cyclizine 50mg/ml	0.7/	15.4	0.308	IM	x1
Ondansetron 4mg/2ml	0.1/	2.2	0.5	IV	x4
Ibuprofen 100mg/5ml	5/	110	5.5	PO	x1
Paracetamol 120/5ml	20/	440	8.333	PO	x1
Paracetamol 60/180mg	4-8yrs	360		PR	x1
Benzylopen 600mg/4ml	1-8yr	600	4	IV,IO	x1
Benzylopen 600mg/2ml	1-8yr	600	2	IM	x1

**7  
yo**

8 year - 24 kg		mg/k	Mg	mL	Adm	Max	
Resp		24-40					
Pulse		90-150					
S/BP		75-120		Age x2+80			
Weight		24Kg		Age x2+8			
Pedi Pads		1 - 8					
Energy		48J		2J/ kg		x1	
Energy 2nd+Consec		96J		4J/ kg		x5	
Tube		6		Age/4+4			
8 year - 24 kg		mg/k	Mg	mL	Adm	Max	
Fluid Hartmann's		20ml/		480	IV,IO	prn	
Sodium Chloride 0.9%		20ml/		480	IV,IO	x1	
A.Epi 10,000 1mg/10ml		0.01/	0.24	2.4	IV,IO	prn	
Amiodarone 30mg/ml		5/	120	4	IV,IO	x1	
G. Dextrose 10%		5ml/		120	IV,IO	x2	
Glucagon 1mg/1ml		≤8yr	0.5	0.5	IM	x1	
Glucose Gel 24g		≤8yr	5-10g		BU	prn	
Epi 1:1,000 1mg/1ml		6-8yrs	0.25	0.25	IM	prn	
Hydrocort 100mg/2ml		6-12yrs	100	2	IV,IM	x1	
8 year - 24 kg		mg/k	Mg	mL	Adm	Max	
<b>8 yo</b>	Salbutamol 2.5mg	≥5yrs	5	2.5	INH	x3	
	Ipratropium 0.25mg/ml	≤13yr	0.25	1	INH	x1	
	Diazepam 10mg/2ml	0.1/	2.4	0.48	IV,IO	x4	
	Diazepam 2.5,5,10mg	>7yr	10	2.5	PR	x2	
	Midazolam 10mg/2ml	0.2/	4.8	0.96	IN	x2	
	Midazolam 10mg/1ml	0.5/	10	1	BU	x2	
	Morphine+9ml=1mg/ml	0.05/	1.2	1.2	IV,IO	x3	
	Morphine Suspension	0.1/	2.4	1.2	PO	x3	
	Naloxone 0.4/ml IO,SC	0.01/	0.24	0.6	IV,IM	x10	
	8 year - 24 kg		mg/k	Mg	mL	Adm	Max
	Cyclizine 50mg/ml+9ml	0.7/	16.8	3.36	IV,IO	x1	
	Cyclizine 50mg/ml	0.7/	16.8	0.336	IM	x1	
	Ondansetron 4mg/2ml	0.1/	2.4	0.5	IV	x4	
	Ibuprofen 100mg/5ml	5/	120	6	PO	x1	
	Paracetamol 120/5ml	20/	480	8.333	PO	x1	
	Paracetamol 60/180mg	4-8yrs	360		PR	x1	
Benzympen 600mg/4ml	1-8yr	600	4	IV,IO	x1		
Benzympen 600mg/2ml	1-8yr	600	2	IM	x1		

9 year - 26 kg	mg/k	Mg	mL	Adm	Max
Resp	24-40				
Pulse	90-150				
S/BP	75-120		Age x2+80		
Weight	26Kg		Age x2+8		
Pedi Pads	1 - 8				
Energy	52J		2J/ kg		x1
Energy 2nd+Consec	104J		4J/ kg		x5
Tube	6.25		Age/4+4		
9 year - 26 kg	mg/k	Mg	mL	Adm	Max
Fluid Hartmann's	20ml/		520	IV,IO	prn
Sodium Chloride 0.9%	20ml/		520	IV,IO	x1
A.Epi 10,000 1mg/10ml	0.01/	0.26	2.6	IV,IO	prn
Amiodarone 30mg/ml	5/	130	4.333	IV,IO	x1
G. Dextrose 10%	5ml/		130	IV,IO	x2
Glucagon 1mg/1ml	>8yr	1	1	IM	x1
Glucose Gel 24g	>8yr	10-20g		BU	prn
Epi 1:1,000 1mg/1ml	>8yr	0.5	0.5	IM	prn
Hydrocort 100mg/2ml	6-12yrs	100	2	IV,IM	x1
9 year - 26 kg	mg/k	Mg	mL	Adm	Max
Salbutamol 2.5mg	≥5yrs	5	2.5	INH	x3
Ipratropium 0.25mg/ml	≤13yr	0.25	1	INH	x1
Diazepam 10mg/2ml	0.1/	2.6	0.52	IV,IO	x4
Diazepam 2.5,5,10mg	>7yr	10	2.5	PR	x2
Midazolam 10mg/2ml	0.2/	5	1	IN	x2
Midazolam 10mg/1ml	0.5/	10	1	BU	x2
Morphine+9ml=1mg/ml	0.05/	1.3	1.3	IV,IO	x3
Morphine Suspension	0.1/	2.6	1.3	PO	x3
Naloxone 0.4/ml IO,SC	0.01/	0.26	0.65	IV,IM	x10
9 year - 26 kg	mg/k	Mg	mL	Adm	Max
Cyclizine 50mg/ml+9ml	0.7/	18.2	3.64	IV,IO	x1
Cyclizine 50mg/ml	0.7/	18.2	0.364	IM	x1
Ondansetron 4mg/2ml	0.1/	2.6	0.5	IV	x4
Ibuprofen 100mg/5ml	5/	130	6.5	PO	x1
Paracetamol 120/5ml	20/	520	8.333	PO	x1
Benzympen 600mg/4ml	>8yr	1200	8	IV,IO	x1
Benzympen 600mg/2ml	>8yr	1200	4	IM	x1

9  
yo

10 year - 28 kg		mg/k	Mg	mL	Adm	Max	
Resp		24-40					
Pulse		90-150					
S/BP		75-120		Age x2+80			
Weight		28Kg		Age x2+8			
Pedi Pads		1 - 8					
Energy		56J		2J/ kg		x1	
Energy 2nd+Consec		112J		4J/ kg		x5	
Tube		6.5		Age/4+4			
10 year - 28 kg		mg/k	Mg	mL	Adm	Max	
Fluid Hartmann's		20ml/		560	IV,IO	prn	
Sodium Chloride 0.9%		20ml/		560	IV,IO	x1	
A.Epi 10,000 1mg/10ml		0.01/	0.28	2.8	IV,IO	prn	
Amiodarone 30mg/ml		5/	140	4.667	IV,IO	x1	
G. Dextrose 10%		5ml/		140	IV,IO	x2	
Glucagon 1mg/1ml		>8yr	1	1	IM	x1	
Glucose Gel 24g		>8yr	10-20g		BU	prn	
Epi 1:1,000 1mg/1ml		>8yr	0.5	0.5	IM	prn	
Hydrocort 100mg/2ml		6-12yrs	100	2	IV,IM	x1	
10 year - 28 kg		mg/k	Mg	mL	Adm	Max	
Salbutamol 2.5mg		≥5yrs	5	2.5	INH	x3	
Ipratropium 0.25mg/ml		≤13yr	0.25	1	INH	x1	
Diazepam 10mg/2ml		0.1/	2.8	0.56	IV,IO	x4	
Diazepam 2.5,5,10mg		>7yr	10	2.5	PR	x2	
10 yo	Midazolam 10mg/2ml		0.2/	5	1	IN	x2
	Midazolam 10mg/1ml		0.5/	10	1	BU	x2
	Morphine+9ml=1mg/ml		0.05/	1.4	1.4	IV,IO	x3
	Morphine Suspension		0.1/	2.8	1.4	PO	x3
	Naloxone 0.4/ml IO,SC		0.01/	0.28	0.7	IV,IM	x10
	10 year - 28 kg		mg/k	Mg	mL	Adm	Max
	Cyclizine 50mg/ml+9ml		0.7/	19.6	3.92	IV,IO	x1
	Cyclizine 50mg/ml		0.7/	19.6	0.392	IM	x1
	Ondansetron 4mg/2ml		0.1/	2.8	0.5	IV	x4
	Ibuprofen 100mg/5ml		5/	140	7	PO	x1
Paracetamol 120/5ml		20/	560	8.333	PO	x1	
Benzylpen 600mg/4ml		>8yr	1200	8	IV,IO	x1	
Benzylpen 600mg/2ml		>8yr	1200	4	IM	x1	

11 year - 30 kg	mg/k	Mg	mL	Adm	Max
Resp	24-40				
Pulse	90-150				
S/BP	75-120		Age x2+80		
Weight	30Kg		Age x2+8		
<b>Pedi Pads</b>	<b>1 - 8</b>				
Energy	60J		2J/ kg		x1
Energy 2nd+Consec	120J		4J/ kg		x5
Tube	6.75		Age/4+4		
11 year - 30 kg	mg/k	Mg	mL	Adm	Max
Fluid Hartmann's	20ml/		600	IV,IO	prn
Sodium Chloride 0.9%	20ml/		600	IV,IO	x1
A.Epi 10,000 1mg/10ml	0.01/	0.3	3	IV,IO	prn
Amiodarone 30mg/ml	5/	150	5	IV,IO	x1
G. Dextrose 10%	5ml/		150	IV,IO	x2
Glucagon 1mg/1ml	>8yr	1	1	IM	x1
Glucose Gel 24g	>8yr	10-20g		BU	prn
Epi 1:1,000 1mg/1ml	>8yr	0.5	0.5	IM	prn
Hydrocort 100mg/2ml	6-12yrs	100	2	IV,IM	x1
11 year - 30 kg	mg/k	Mg	mL	Adm	Max
Salbutamol 2.5mg	≥5yrs	5	2.5	INH	x3
Ipratropium 0.25mg/ml	≤13yr	0.25	1	INH	x1
Diazepam 10mg/2ml	0.1/	3	0.6	IV,IO	x4
Diazepam 2.5,5,10mg	>7yr	10	2.5	PR	x2
Midazolam 10mg/2ml	0.2/	5	1	IN	x2
Midazolam 10mg/1ml	0.5/	10	1	BU	x2
Morphine+9ml=1mg/ml	0.05/	1.5	1.5	IV,IO	x3
Morphine Suspension	0.1/	3	1.5	PO	x3
Naloxone 0.4/ml IO,SC	0.01/	0.3	0.75	IV,IM	x10
11 year - 30 kg	mg/k	Mg	mL	Adm	Max
Cyclizine 50mg/ml+9ml	0.7/	21	4.2	IV,IO	x1
Cyclizine 50mg/ml	0.7/	21	0.42	IM	x1
Ondansetron 4mg/2ml	0.1/	3	0.5	IV	x4
Ibuprofen 100mg/5ml	5/	150	7.5	PO	x1
Paracetamol 120/5ml	20/	600	8.333	PO	x1
Benzylpen 600mg/4ml	>8yr	1200	8	IV,IO	x1
Benzylpen 600mg/2ml	>8yr	1200	4	IM	x1


**11  
yo**

12 year - 32 kg		mg/k	Mg	mL	Adm	Max	
Resp		24-40					
Pulse		90-150					
S/BP		75-120		Age x2+80			
Weight		32Kg		Age x2+8			
Pedi Pads		1 - 8					
Energy		64J		2J/ kg		x1	
Energy 2nd+Consec		128J		4J/ kg		x5	
Tube		4		Age/4+4			
12 year - 32 kg		mg/k	Mg	mL	Adm	Max	
Fluid Hartmann's		20ml/		640	IV,IO	prn	
Sodium Chloride 0.9%		20ml/		640	IV,IO	x1	
A.Epi 10,000 1mg/10ml		0.01/	0.32	3.2	IV,IO	prn	
Amiodarone 30mg/ml		5/	160	5.333	IV,IO	x1	
G. Dextrose 10%		5ml/		160	IV,IO	x2	
Glucagon 1mg/1ml		>8yr	1	1	IM	x1	
Glucose Gel 24g		>8yr	10-20g		BU	prn	
Epi 1:1,000 1mg/1ml		>8yr	0.5	0.5	IM	prn	
Hydrocort 100mg/2ml		6-12yrs	130	2.6	IV,IM	x1	
12 year - 32 kg		mg/k	Mg	mL	Adm	Max	
Salbutamol 2.5mg		≥5yrs	5	2.5	INH	x3	
Ipratropium 0.25mg/ml		≤13yr	0.25	1	INH	x1	
Diazepam 10mg/2ml		0.1/	3.2	0.64	IV,IO	x4	
Diazepam 2.5,5,10mg		>7yr	10	2.5	PR	x2	
Midazolam 10mg/2ml		0.2/	5	1	IN	x2	
Midazolam 10mg/1ml		0.5/	10	1	BU	x2	
Morphine+9ml=1mg/ml		0.05/	1.6	1.6	IV,IO	x3	
Morphine Suspension		0.1/	3.2	1.6	PO	x3	
12 yo	Naloxone 0.4/ml IO,SC		0.01/	0.32	0.8	IV,IM	x10
	12 year - 32 kg		mg/k	Mg	mL	Adm	Max
Cyclizine 50mg/ml+9ml		0.7/	22.4	4.48	IV,IO	x1	
Cyclizine 50mg/ml		0.7/	22.4	0.448	IM	x1	
Ondansetron 4mg/2ml		0.1/	3.2	0.5	IV	x4	
Ibuprofen 100mg/5ml		5/	160	8	PO	x1	
Paracetamol 120/5ml		20/	640	8.333	PO	x1	
Benzylpen 600mg/4ml		>8yr	1200	8	IV,IO	x1	
Benzylpen 600mg/2ml		>8yr	1200	4	IM	x1	


13 year - 34 kg	mg/k	Mg	mL	Adm	Max
Resp	24-40				
Pulse	90-150				
S/BP	75-120		Age x2+80		
Weight	34Kg		Age x2+8		
<b>Pedi Pads</b>	<b>1 - 8</b>				
Energy	68J		2J/ kg		x1
Energy 2nd+Consec	136J		4J/ kg		x5
Tube	7.25		Age/4+4		
13 year - 34 kg	mg/k	Mg	mL	Adm	Max
Fluid Hartmann's	20ml/		680	IV,IO	prn
Sodium Chloride 0.9%	20ml/		680	IV,IO	x1
A.Epi 10,000 1mg/10ml	0.01/	0.34	3.4	IV,IO	prn
Amiodarone 30mg/ml	5/	170	5.667	IV,IO	x1
G. Dextrose 10%	5ml/		170	IV,IO	x2
Glucagon 1mg/1ml	>8yr	1	1	IM	x1
Glucose Gel 24g	>8yr	10-20g		BU	prn
Epi 1:1,000 1mg/1ml	>8yr	0.5	0.5	IM	prn
Hydrocort 100mg/2ml	>12yr	130	2.6	IV,IM	x1
13 year - 34 kg	mg/k	Mg	mL	Adm	Max
Salbutamol 2.5mg	≥5yrs	5	2.5	INH	x3
Ipratropium 0.25mg/ml	≤13yr	0.25	1	INH	x1
Diazepam 10mg/2ml	0.1/	3.4	0.68	IV,IO	x4
Diazepam 2.5,5,10mg	>7yr	10	2.5	PR	x2
Midazolam 10mg/2ml	0.2/	5	1	IN	x2
Midazolam 10mg/1ml	0.5/	10	1	BU	x2
Morphine+9ml=1mg/ml	0.05/	1.7	1.7	IV,IO	x3
Morphine Suspension	0.1/	3.4	1.7	PO	x3
Naloxone 0.4/ml IO,SC	0.01/	0.34	0.85	IV,IM	x10
13 year - 34 kg	mg/k	Mg	mL	Adm	Max
Cyclizine 50mg/ml+9ml	0.7/	23.8	4.76	IV,IO	x1
Cyclizine 50mg/ml	0.7/	23.8	0.476	IM	x1
Ondansetron 4mg/2ml	0.1/	3.4	0.5	IV	x4
Ibuprofen 100mg/5ml	5/	170	8.5	PO	x1
Paracetamol 120/5ml	20/	680	8.333	PO	x1
Benzylpen 600mg/4ml	>8yr	1200	8	IV,IO	x1
Benzylpen 600mg/2ml	>8yr	1200	4	IM	x1

**13  
yo**

APGAR SCORE			1 Min	5 Min
Score				
Sign		0	1	2
Appearance		Pale Blue	Blue limbs	Complete pink
Pulse		Absent	<100/ Min	>100/ Min
Grimis		No Response	Grimace	Cough, Sneeze, Cry
Activity		Limp	Some Flexion	Active Motion
Respirations		Absent	Slow, Irregular	Good, Crying



**Adult**



**Child**